


PRINCETON


TWO-HANDLE WIDESPREAD LAVATORY FAUCET

WITH BRASS SPOUT



MODEL NUMBER:

4508.801 Princeton Widespread Metal Speed Connect® Pop-up drain. Metal Lever handles.



GENERAL DESCRIPTION:

Cast brass valve bodies with flexible hose connections for 6" to 12" (152mm to 305mm) installations. 1/4 turn washerless ceramic disc valve cartridges. Cast brass spout. One-half inch male inlet shanks with brass coupling nuts. 20" (500mm) long flexible stainless steel drain cable is pre-assembled to faucet body. Metal Speed Connect® drain body with 1-1/4 inch (32mm) tail piece. 1.5 gpm/5.7L/min. maximum flow rate.

PRODUCT FEATURES:

Ceramic Disc Valve Cartridges: Assures a lifetime of drip-free performance.

Brass Construction: Durable. Ideal for prolonged contact with water. Provides the finest surface for application of colors and finishes.

Low Lead: Meets NSF Standard 61/Section 9 & Prop 65 lead requirements.

Exclusive Speed Connect Metal Drain:

- Fewer Parts installs in less time.
- No adjustments required seals the first time, every time.
- Flexible stainless steel cable installs effortlessly in tight spaces.

Choice of Finishes: Available in Polished Chrome, Blackened Bronze (PVD) or Satin Nickel (PVD).

SUGGESTED SPECIFICATION:

Two handle widespread lavatory faucet shall feature cast brass valve bodies with flexible hose connections for 6" to 12" installations. Shall also feature 1/4 turn washerless ceramic disc valve cartridges. Shall also feature a metal drain body with stainless steel cable actuation. Fitting shall be American Standard Model #4508.801.




PRINCETON

TWO-HANDLE WIDESPREAD LAVATORY FAUCET WITH BRASS SPOUT

CODES AND STANDARDS

These products meet or exceed the following codes and standards:

ANSI A117.1 ASME A112.18.1 CSA B 125 NSF 61/Section 9



		Finish Options		
Product		Polished Chrome	Blackened Bronze (PVD)	Satin Nickel (PVD)
Number	Description	002	068	295
4508.801	Princeton Widespread with Metal Speed Connect® Pop-up drain. Metal Lever handles.			

Meets the American Disabilities Act Guidelines and ANSI A117.1 Requirements for the physically challenged.