

# San Raphael®

## Comfort Height<sup>™</sup> Elongated Toilet **K-3597**

#### **Features**

- One-piece toilets integrate the tank and bowl into a seamless, easy-to-clean design.
- Elongated bowl offers added room and comfort.
- Comfort Height® feature offers chair-height seating that makes sitting down and standing up easier for most adults.
- 1.0 gallon per flush (gpf).
- Equipped with Sloan Flushmate® Pressure Vessel.
- Seat and lid included.
- Supply line not included.

## **Technology**

 Pressure Lite® flushing technology provides commercial-grade flushing power while reducing water use.

### Installation

Standard 12-inch rough-in.

#### **Recommended Accessories**

K-7637 Angle Supply with Stop (single)

#### **Optional Accessories**

K-4650 Toilet Seat

## Components

Additional included component/s: Tank Cover, Bolt Cap Accessory Pack, Toilet Seat, and Tank Accessory Pack.





ADA CSA B651

OBC

#### Codes/Standards

ASME A112.19.2/CSA B45.1 EPA WaterSense® ADA ICC/ANSI A117.1 CSA B651 OBC

### **Kohler One-Year Limited Warranty**

See website for detailed warranty information.

## **Available Color/Finishes**

Color tiles intended for reference only.


Color	Code	Description
	0	White
	96	Biscuit
	47	Almond
	NY	Dune
	95	Ice™ Grey
	G9	Sandbar
	58	Thunder™ Grey
	7	Black Black™





## San Raphael®

## Comfort Height™ Elongated Toilet K-3597



### **Technical Information**

All product dimensions are nominal.

Toilet type: One-piece

Bowl shape: Elongated front

Trap passageway: 2-1/8" (54 mm)

Water Consumption

Full: 1 gpf (3.8 lpf)

Water surface size: 9" x 7" (229 mm x 178 mm)

Rim to water surface: 5-7/8" (149 mm)
Rough-in: 12" (305 mm)
Seat-mounting holes: 5-1/2" (140 mm)

# Fixture Supply Requirements

Min static pressure: 35 psi (241.3 kPa)

#### **Notes**

Install this product according to the installation instructions.

For back-to-back toilet installations: Use only a 45° double wye fitting.

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

The Model Plumbing Codes require the installation of elongated open-front toilet seats on public bathrooms.

